

PROFESSIONAL

**PRICES**  
**01/2011**



EQUIPMENT AND PRICES FOR THE  
**PROFESSIONAL SUNBED RANGE**

*Ergoline*

## **ERGOLINE PROFESSIONAL PRICE LIST 01/2011**

This price list takes effect from 1 January 2011. It will retain validity until a new price list is published. The Ergoline products offered in this price list are exclusively distributed by JK-International GmbH and their trade partners. The prices quoted are list prices and exclude statutory VAT.

The products indicated in this price list are delivered ex works. Changes in the technical execution and design, price and delivery possibility reserved. All prices for Ergoline sunbeds are excluded time control system.

The Ergoline sunbeds listed must not be exported to or operated in either the USA and Canada. JK-International GmbH shall not accept any producer's liability in this case. It is expressly pointed out that any violation of this ban may subject the exporter and/or operator to high risks of liability.

You may obtain all expendable articles, such as bulbs, lamps, starters, Aqua Fresh & Aroma refit kits as well as cleaning and cosmetic products from JK-International GmbH, Division JK-Licht, Koehlershohner Strasse, 53578 Windhagen, Germany, phone +49 2224/818-600.

## **WARRANTY ON ERGOLINE SUNBEDS**

JK-International GmbH guarantees the purchaser for a period of 24 months starting from the date of delivery that the goods are free from defects which would ruin or reduce their value or usual merchantability. UV high-pressure lamps, UV low-pressure lamps and starters as well as base acrylics are

sunbed components that are subject to a process of natural wear. Defect-related claims on part of the purchaser shall be ruled out if the product defect is the result of wear.

## QUALITY PAYS – 10 GOOD REASONS FOR ERGOLINE

Dear tanning professional,

when dealing with the sun quality is paying off. The factors of success can be easily combined: Successful tanning professionals know what it takes to make it in the tanning business – excellent products, excellent service, an excellent business concept and especially well-known brand names. Ergoline gives you that competitive edge. But don't take our word for it, compare Ergoline with the rest; you don't want to settle for less.

### EXCELLENT BRAND NAME

Ergoline is by far the world's most popular sunbed brand name amongst salon owners and customers alike. There are good reasons for that. Deciding for a professional sunbed from the worldwide market leader means setting the scenes for success in the tanning business. You benefit not only from our product's reliability and long service life in the endurance test that is everyday salon operation, but also the low depreciation on all our models when it comes to selling your used Ergoline sunbed.

### APPROVED SAFETY

Ergoline keeps you on the safe side. All of our models carry the German TÜV seal and GS "tested safety" kitemark, and naturally the statutory CE label. All components that need to be accessible for maintenance and servicing are easy to reach, and are equipped with multiple backup safety features with an intelligent protection system, switching off automatically if a malfunction is detected.

### GUARANTEED QUALITY

All components we use in our sunbed production are made of high-quality materials, which are all tested for resistance against UV light, cleaning fluids and other potential hazards as well as potential health risks. Our state-of-the-art manufacturing technologies and qualified staff ensure especially high-quality workmanship. Every Ergoline sunbed undergoes a variety of functional tests before it leaves the factory. We were the first sunbed manufacturer to be certified by TÜV for compliance with the EN ISO 9001 quality standard, confirming our claim to quality.

### EXCELLENT SERVICE

If you should experience technical problems with one of your Ergoline sunbeds, we have a complete service network to fix the problem. We guarantee prompt and professional repairs by authorised and qualified service technicians. Our technicians carry a wide range of commonly used spare parts. As an added support, thousands of parts are stored at our state-of-the-art logistics centre.

### TRENDSETTING DESIGN

Often, you'll only really appreciate excellent design after years of use. This is why you will not find any superficial trends or gimmicks on our sunbeds. Clear lines, quality surface finishes and fascinating lighting effects will inspire your customers now and in years to come.

## QUALITY PAYS – 10 GOOD REASONS FOR ERGOLINE

### ERGONOMICS SECOND TO NONE

As you might guess from the company name, ergonomics is a core competence at Ergoline. Our ergonomic concepts give you and your customers tanning comfort and convenience that is second to none. For example in our ergonomic base acrylic with integrated padded headrest and footrests for an even all-round tan. Or Climatronic cooled air conditioning for exact tanning temperature adjustment. Aqua Fresh & Aroma will give your customers a particularly refreshing tanning experience. Innovative sound systems give you perfect musical enjoyment. The ergonomic design concept ensures easy control of every function.

### EASY HANDLING

Every Ergoline sunbed has been designed to ensure that all components that require servicing are easily and quickly to reach. Low-maintenance materials ensure easy cleaning for your salon staff. Easy to use software gives even more convenience in accessing all of the sunbed's major servicing and control parameters via Palm Handheld and infrared interface. If a problem does arise that you cannot fix yourself, our Ergoline customer service technicians guarantee a fast and professional solution.

### EXCELLENT SUPPORT FOR YOUR SALON

Ergoline has set standards in professionalising the tanning business with regular training programmes and courses. We also provide high-profile advertising and Point of Sale sales support with high-impact marketing concepts and attractive campaign materials.

### ENVIRONMENT-FRIENDLY

We don't just pay lip service to environmental protection and sustainable use of our world's resources. The entire JK Group has subscribed to the stringent guidelines set in VO EC 761/2001 and EN ISO 14001:1996 with regular internal and external environmental protection audits. All electronic components that we use comply with the RoHS (Restriction of Hazardous Substances) directive.

### INNOVATIVE UV TECHNOLOGIES

Ergoline's innovative UV systems lead the world. The company's in-house Development Centre has regularly launched new cutting-edge technologies to increase tanning power, energy efficiency, and naturally also safety in sunbeds. Developments such as our computer-designed Ultra Performance Plus glass reflectors and filter glasses along with Dynamic Power technology to protect your investment have given Ergoline a trend-leading role for the whole industry. The Optimized Performance UV concept is Ergoline's newest achievement – substantially improving tanning results while keeping sunburn risk low.



Optimized Performance is incorporated in all models of the Ergoline Prestige, Esprit, Affinity, and Inspiration series. This is indicated by an "S" in the model name. They have a maximum output level of 0.3 W/m<sup>2</sup> (erythema), thus complying with the Standard EN 60335-2-27:2008 and display the TÜV-GS symbol for tested safety.



# PROFESSIONAL SUNBEDS



PROFESSIONAL SUNBEDS

## AIR DISCHARGE SYSTEMS ACCESSORIES

AIR DISCHARGE SYSTEMS | ACCESSORIES

## CONTROL SYSTEMS

CONTROL SYSTEMS



## ERGOLINE FLAIR 200 SUPER POWER




### FEATURED AS STANDARD

- Super Power
- Ultra Performance
- Bodyform Plus base acrylic
- Comfort Cooling
- IR Function
- Time Control

LAMPS	WATTS	FT	WATTS
27	100	1	300

### DIMENSIONS (in mm)



## DESIGN SOFT GREY SILVER

Art. No. EN<sup>1</sup>

Euro, excl. VAT.

Featured as standard incl. PROFILE-Design Anthracite

100001899

TOP  
SELLER

4,995.-

Optional extra: PROFILE-Design Shining Green

100002369

69.-

Optional extra: Stereo Sound

100002315

345.-

Optional extra: Stereo Sound Plus

100002312

695.-

Optional extra: Side cover Flair

100002313

99.-

### Featured as standard




Lamps: 16 top part/11 base part

### Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGOLINE FLAIR 250 SUPER POWER




### FEATURED AS STANDARD

- Super Power
- Ultra Performance
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- IR Function
- Time Control

LAMPS	WATTS	FT	WATTS
30	100	3	400

### DIMENSIONS (in mm)



## DESIGN BRILLIANT WHITE ANTHRACITE

Featured as standard incl. PROFILE-Design Shining Green

Art. No. EN<sup>1</sup>

100002070

TOP  
SELLER

Euro, excl. VAT.

6,450.-

Optional extra: PROFILE-Design Anthracite

100002370

69.-

Optional extra: Stereo Sound

100002315

345.-

Optional extra: Stereo Sound Plus

100002312


695.-

Optional extra: Side cover Flair

100002313

99.-

### Featured as standard



Lamps: 18 top part/12 base part

### Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGO LINE **PASSION 300-S** SUPER POWER



### FEATURED AS STANDARD


- Super Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- optional Mood Light or Photo Art
- IR Function

- Time Control



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
34	100	3	400	2 x 8 W


### DIMENSIONS (in mm)



### DESIGN BRILLIANT WHITE

	Art. No. EN <sup>1</sup>	Euro, excl. VAT.
Featured as standard Mood Light Techno Yellow	500000760	8,190.-
Featured as standard Photo Art People Single	500000761	8,190.-
Featured as standard Photo Art People Group	500000762	8,190.-
Optional extra: Stereo Sound	100002315	345.-
Optional extra: Stereo Sound Plus	100002312	695.-
Optional extra: Side cover Passion	100002314	99.-

### Featured as standard



Lamps: 18 top part/16 base part

### Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.



## ERGOLINE PASSION 300-S TWIN POWER




### FEATURED AS STANDARD

- Super Power/Turbo Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- optional Mood Light or Photo Art
- IR Function
- Time Control



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
18/16	140/100	3	400	2 x 8 W

### DIMENSIONS (in mm)




### DESIGN BRILLIANT WHITE

	Art. No. EN <sup>1</sup>	Euro, excl. VAT
Featured as standard Mood Light Techno Yellow	500000764	8,690.-
Featured as standard Photo Art People Single	500000765	8,690.-
Featured as standard Photo Art People Group	500000766	8,690.-
<b>Optional extra:</b> Stereo Sound	100002315	345.-
<b>Optional extra:</b> Stereo Sound Plus	100002312	695.-
<b>Optional extra:</b> Side cover Passion	100002314	99.-



#### Featured as standard



Lamps: 18 top part/16 base part

#### Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGO LINE **PASSION 350-S** SUPER POWER




### FEATURED AS STANDARD

- Super Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- optional Mood Light or Photo Art
- IR Function
- Time Control



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
38	100	3	400	2 x 8 W

### DIMENSIONS (in mm)



### DESIGN BRILLIANT WHITE

Featured as standard Photo Art People Group

Art. No. EN<sup>1</sup>

500000770

Euro, excl. VAT

**9,490.-**

Featured as standard Photo Art People Single

500000769

**9,490.-**

Featured as standard Mood Light Techno Yellow

500000768

**9,490.-**

**TOP  
SELLER**

**Optional extra:** Stereo Sound

100002315

**345.-**

**Optional extra:** Stereo Sound Plus

100002312


**695.-**

**Optional extra:** Side cover Passion

100002314

**99.-**

Featured as standard



Lamps: 22 top part/16 base part

Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGOLINE PASSION 350-S TWIN POWER




### FEATURED AS STANDARD

- Super Power/Turbo Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- optional Mood Light or Photo Art
- IR Function
- Time Control



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
22/16	140/100	3	400	2 x 8 W


### DIMENSIONS (in mm)



### DESIGN BRILLIANT WHITE

	Art. No. EN <sup>1</sup>	Euro, excl. VAT
Featured as standard Mood Light Yellow	500000772	9,990.-
Featured as standard Photo Art People Single	500000773	9,990.-
Featured as standard Photo Art People Group	500000774	9,990.-
<b>Optional extra:</b> Stereo Sound	100002315	345.-
<b>Optional extra:</b> Stereo Sound Plus	100002312	695.-
<b>Optional extra:</b> Side cover Passion	100002314	99.-

#### Featured as standard



Lamps: 22 top part/16 base part

#### Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGO LINE **PASSION 350-S** TURBO POWER



### FEATURED AS STANDARD


- Turbo Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- optional Mood Light or Photo Art
- IR Function

- Time Control



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
38	140	3	400	2 x 8 W

### DIMENSIONS (in mm)



## DESIGN BRILLIANT WHITE

Featured as standard Mood Light Techno Yellow

Art. No. EN<sup>1</sup>

Euro, excl. VAT

Featured as standard incl. Air Condition Mood Light Techno Yellow

500000780

11,740.-

Featured as standard Photo Art People Single

500000777

10,490.-

Featured as standard incl. Air Condition Photo Art People Single

500000781

11,740.-

Featured as standard Photo Art People Group

500000778

10,490.-


Featured as standard incl. Air Condition Photo Art People Group

500000782

11,740.-


Equipment on page 11.

### Featured as standard



Lamps: 22 top part/16 base part

### Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.





## ERGOLINE INSPIRATION 400-S

### FEATURED AS STANDARD

### DIMENSIONS (in mm)

- Super Power/Twin Power/Turbo Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- Mood Lights
- IR Function




LAMPS FT WATTS FT SPAGHETTIS

38 3 400 2x 8 W

### DESIGN SOLID SILVER

	Art. No. EN <sup>1</sup>		Euro, excl. VAT
Featured as standard <b>Super Power</b> (100/120 W)	100002217	<b>TOP SELLER</b>	13,285.-
Featured as standard <b>Twin Power</b> (160/140 W)	100002215		13,830.-
Featured as standard <b>Twin Power</b> (160/140 W) incl. Aqua Fresh & Aroma	500000640		15,630.-
Featured as standard <b>Turbo Power</b> (160/180 W) incl. Air Condition	100002213		15,720.-
Featured as standard <b>Turbo Power</b> (160/180 W) incl. Air Condition • Aqua Fresh & Aroma	500000639		17,520.-
<b>Optional extra: 3D-Sound unit*</b>	100001531		990.-

#### Featured as standard



Lamps: 24 top part/14 base part


#### Optional at extra costs



\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGOLINE INSPIRATION 450-S



### FEATURED AS STANDARD


- Super Power/Twin Power/Turbo Power
- Ultra Performance PLUS
- Bodyform Plus base acrylic
- Comfort Cooling
- Interior lighting
- Mood Lights
- IR Function



LAMPS FT WATTS FT SPAGHETTIS

42 4 400 3 x 8 W

### DIMENSIONS (in mm)



### DESIGN SOLID SILVER

	Art. No. EN <sup>1</sup>	Euro, excl. VAT
Featured as standard <b>Super Power</b> (100/120 W)	100002207	14,710.-
Featured as standard <b>Twin Power</b> (160/140 W)	100002204	15,300.-
Featured as standard <b>Twin Power</b> (160/140 W) incl. Aqua Fresh & Aroma	500000645	17,100.-
Featured as standard <b>Turbo Power</b> (160/180 W) incl. Air Condition	100002198	17,210.-
Featured as standard <b>Turbo Power</b> (160/180 W) incl. Air Condition • Aqua Fresh & Aroma	500000646	19,010.-
<b>Optional extra: 3D-Sound unit</b> *	100001531	990.-

TOP  
SELLER

TOP  
SELLER

#### Featured as standard



Lamps: 26 top part/16 base part

#### Optional at extra costs



\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.


## ERGOLINE AFFINITY 500-S

### FEATURED AS STANDARD

- Super Power/Twin Power
- Ultra Performance PLUS
- Neck Tan
- Body Shape base acrylic
- Comfort Cooling
- Blue Mood Lights
- Interior lighting
- IR Function



### DIMENSIONS (in mm)




LAMPS FT WATTS FT SPAGHETTIS

43 3 max. 500 2 x 8 W

## DESIGN LUMINATE SILVER

	Art. No. EN <sup>1</sup>	Euro, excl. VAT
Featured as standard <b>Super Power</b> (100 W)	100002143	16,295.-
Featured as standard <b>Twin Power</b> (120/160 W)	100002139	16,870.-
Featured as standard <b>Twin Power</b> (120/160 W) incl. Aqua Fresh & Aroma	500000620	18,920.-
<b>Optional extra: Shoulder Tan</b>	100000928	1,150.-
<b>Optional extra: 3D-Sound unit*</b>	100000852	990.-
<b>Optional extra: Shoulder Tan incl. 3D-Sound unit*</b>	100000854	2,075.-

### Featured as standard



### Optional at extra costs




Lamps: 18 top part/8 side part/17 base part

\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGO LINE AFFINITY 600-S TWIN POWER




### FEATURED AS STANDARD

- Super Power/Turbo Power
- Ultra Performance PLUS
- Neck Tan
- Body Shape base acrylic
- Comfort Cooling
- Interior lighting
- Blue Mood Lights
- IR Function



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
18/28	120/160	3	max. 500	2x 8 W

### DIMENSIONS (in mm)



### DESIGN LUMINATE SILVER

Art. No. EN<sup>1</sup>

Euro, excl. VAT

Featured as standard

100002136

17,785.-

Featured as standard incl. Aqua Fresh & Aroma

500000621

~~19,835.-~~ 19,335.-

TOP  
SELLER

BEST BUY € 500.- OFF

Optional extra: Shoulder Tan

100000928

1,150.-

Optional extra: 3D-Sound unit\*

100000852

990.-

Optional extra: Shoulder Tan incl. 3D-Sound unit\*

100000854

2,075.-

Featured as standard



Lamps: 20 top part/8 side part/18 base part

Optional at extra costs



\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.



## ERGOLINE AFFINITY 660-S UND 660 IQ DYNAMIC POWER


### FEATURED AS STANDARD

- Dynamic Power
- Ultra Performance PLUS at 660-S
- Ultra Performance at 660 IQ
- Neck Tan
- Body Shape base acrylic
- Comfort Cooling
- Blue Mood Lights
- Interior lighting
- IR Function



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
46	max. 180	3	max. 500	2 x 8 W*

### DIMENSIONS (in mm)



## DESIGN LUMINATE SILVER

	Art. No. EN <sup>1</sup>	Euro, excl. VAT	
Featured as standard	100002134	24,730.-	
Featured as standard	500000622	<del>26,780.-</del> 25,780.-	BEST BUY € 1,000.- OFF
Featured as standard Affinity 660 IQ incl. Climatronic • Shoulder Tan incl. 3D-Sound-Unit**	500000200	27,825.-	
Featured as standard Affinity 660 IQ incl. Climatronic • Aqua Fresh & Aroma • Shoulder Tan incl. 3D-Sound-Unit**	500000186	<del>29,875.-</del> 28,375.-	BEST BUY € 1,500.- OFF
Optional extra: Shoulder Tan	100000928	1,150.-	
Optional extra: 3D-Sound unit**	100000852	990.-	
Optional extra: Shoulder Tan incl. 3D-Sound unit**	100000854	2,075.-	



### Featured as standard



### Optional at extra costs




Lamps: 20 top part/8 side part/18 base part

\* Only for Affinity 660-S \*\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGO LINE AFFINITY 800-S TWIN POWER




### FEATURED AS STANDARD

- Super Power/Turbo Power
- Ultra Performance PLUS
- Neck Tan
- Body Shape base acrylic
- Comfort Cooling
- Blue Mood Lights
- Interior lighting
- IR Function



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
18/32	120/160	4	max. 520	3 x 8 W

### DIMENSIONS (in mm)



## DESIGN LUMINATE SILVER

Art. No. EN<sup>1</sup>

Euro, excl. VAT

Featured as standard

100002130

21,555.-

Featured as standard incl. Aqua Fresh & Aroma

500000655

23,605.-

TOP  
SELLER

Optional extra: Shoulder Tan

100000928

1,150.-

Optional extra: 3D-Sound unit\*

100000852


990.-

Optional extra: Shoulder Tan incl. 3D-Sound unit\*

100000854

2,075.-

Featured as standard



Lamps: 24 top part/8 side part/18 base part

Optional at extra costs



\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.


## ERGOLINE ESPRIT 770-S DYNAMIC POWER

### FEATURED AS STANDARD

- Dynamic Power
- Ultra Performance PLUS
- Neck Tan
- Multi Relax base acrylic
- Comfort Cooling
- Mood Lights
- Interior lighting
- IR Function



### DIMENSIONS (in mm)



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
48	max. 200	4	max. 500	3 x 8 W

## BASIS-DESIGN SILVERPEARL RED

Featured as standard incl. Climatronic

Art. No. EN<sup>1</sup>

100002127

Euro, excl. VAT

28,895.-

Featured as standard incl. Climatronic • Aqua Fresh & Aroma

500000623

~~30,945.-~~ 29,945.-

BEST BUY € 1,000.- OFF

TOP  
SELLER

## EXCLUSIVE-DESIGN CANDY ORANGE

Featured as standard incl. Climatronic

100002121

29,895.-

Featured as standard incl. Climatronic • Aqua Fresh & Aroma

500000625

~~31,945.-~~ 30,945.-

BEST BUY € 1,000.- OFF

TOP  
SELLER

## EXCLUSIVE-DESIGN ICE BLUE

Featured as standard incl. Climatronic

100002124

29,895.-

Featured as standard incl. Climatronic • Aqua Fresh & Aroma

500000624

~~31,945.-~~ 30,945.-


BEST BUY € 1,000.- OFF

Optional extra: Shoulder Tan HP incl. 3D-Sound-Unit\*

100000857

2,550.-

Featured as standard



Optional at extra costs




Lamps: 22 top part/8 side part/18 base part

\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGOLINE PRESTIGE 990-S

### DYNAMIC POWER



#### FEATURED AS STANDARD


- Dynamic Power
- Ultra Performance PLUS
- Neck Tan
- Multi Relax base acrylic
- Comfort Cooling
- Interior lighting
- Mood Lights

• IR Function



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
52	max. 200	4	max. 520	3 x 8 W

#### DIMENSIONS (in mm)



### BASIS-DESIGN SILVERPEARL BLUE

Featured as standard incl. Climatronic

Art. No. EN<sup>1</sup>

100002115

Euro, excl. VAT.

31,075.-

Featured as standard incl. Climatronic • Aqua Fresh & Aroma

500000628

~~33,125.-~~ 32,125.-

BEST BUY € 1,000.- OFF

TOP  
SELLER

### EXCLUSIVE-DESIGN FASHIONPINK ORANGE

Featured as standard incl. Climatronic

100002109

32,075.-

Featured as standard incl. Climatronic • Aqua Fresh & Aroma

500000626

~~34,125.-~~ 33,125.-

BEST BUY € 1,000.- OFF

TOP  
SELLER

### EXCLUSIVE-DESIGN SHINING BLUE

Featured as standard incl. Climatronic

100002112

32,075.-

Featured as standard incl. Climatronic • Aqua Fresh & Aroma

500000627

~~34,125.-~~ 33,125.-


BEST BUY € 1,000.- OFF

Optional extra: Shoulder Tan HP incl. 3D-Sound-Unit\*

100000857

2,550.-

Featured as standard



Lamps: 24 top part/8 side part/18 base part

Optional at extra costs



\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.



## ERGOLINE PRESTIGE 1100-S DYNAMIC POWER


### FEATURED AS STANDARD

- Dynamic Power
- Ultra Performance PLUS
- Shoulder Tan HP
- Neck Tan
- Climatronic Plus
- Voice Guide
- Aqua Fresh & Aroma
- Multi Relax base acrylic
- Comfort Cooling
- 3D-Sound-Unit
- Interior lighting
- White Mood Lights
- IR Function



LAMPS	WATTS	FT	WATTS	FT SPAGHETTIS
52	max. 200	4	max. 520	3 x 8 W

### DIMENSIONS (in mm)



## DESIGN MYSTIC BLACK

Art. No. EN<sup>1</sup>

Featured as standard incl. Climatronic Plus • Aqua Fresh & Aroma • Shoulder Tan HP incl. 3D-Sound-Unit\*

500000629

TOP  
SELLER

Euro, excl. VAT.

36,995.-

### Featured as standard




Lamps: 24 top part/8 side part/20 base part

\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGOLINE OPEN SUN PILOT ULTRA POWER PLUS




### FEATURED AS STANDARD

- Ultra Power Plus
- Ultra Performance Technology + UV-B spaghetti lamps
- Hand Tan (HT)
- Body Seat
- Basic Cooling
- Aroma
- Mood Lights
- IR Function

FT	WATTS MAX.	HT	WATTS	LAMPS	WATTS	SPA-GHETTIS	WATTS
2/4	580/520	2	200	12	40	2	36

### DIMENSIONS (in mm)



### DESIGN STERLING SILVER

	Art. No. EN <sup>1</sup>	Euro, excl. VAT.
Featured as standard	500000462	14,250.-
Featured as standard incl. Back Tan • Aqua Fresh	500000460	16,450.-

### NEW: DESIGN BRILLIANT WHITE

Featured as standard	500000786	14,250.-
Featured as standard incl. Back Tan • Aqua Fresh	500000787	16,450.-

<b>Optional extra: 3D-Sound-Unit*</b>	100001639	990.-
---------------------------------------	-----------	-------

#### Featured as standard



#### Optional at extra costs



## ERGOLINE ESSENCE 280 SMART POWER



### FEATURED AS STANDARD

- Smart Power
- Single Sound
- Top Cooling (Smart Power 120 optional)
- Time Control
- 230 V Operation (Smart Power 120 W)


#### SMART POWER 120 W

LAMPS	WATTS OUTPUT (INPUT)
28 (2m)	120 (100)

#### SMART POWER 200 W

LAMPS	WATTS OUTPUT (INPUT)
28 (2m)	200 (180)


### DIMENSIONS (in mm)



	Art. No. EN <sup>1</sup>	Euro, excl. VAT.
Featured as standard Brilliant White, 120 W	100002519	5,195.-
Featured as standard Brilliant White, 120 W incl. Standby Lighting	100002589	5,440.-
Featured as standard Red Touch, 120 W	100002590	5,195.-
Featured as standard Red Touch, 120 W incl. Standby Lighting	100002591	5,440.-
Featured as standard Orange Shadow, 200 W incl. Top Cooling	100002533	5,995.-
Featured as standard Orange Shadow, 200 W incl. Standby Lighting and Top Cooling	100002592	6,240.-
<b>Optional extra:</b> Top Cooling (Smart Power 120 W)	100002543	395.-
<b>Optional extra:</b> Visual Cover, silver grey	100002531	195.-
<b>Optional extra:</b> Visual Cover, anthracite	100002546	195.-

Further equipment on page 24.

Featured as standard



Optional at extra costs



<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.

## ERGOLINE ESSENCE 440 SMART POWER



### FEATURED AS STANDARD

- Smart Power
- Top Cooling
- Single Sound
- Visual Cover
- Time Control


#### LAMPS

44 (2m)

#### WATTS OUTPUT (INPUT)

200 (180)


### DIMENSIONS (in mm)



	Art. No. EN <sup>1</sup>	Euro, excl. VAT.
Featured as standard Scarlet Red	100002538	8,650.-
Featured as standard Scarlet Red incl. Standby Lighting	100002594	8,895.-
Featured as standard Photo Art	100002595	8,950.-
Featured as standard Photo Art incl. Standby Lighting	100002596	9,195.-
Optional extra: Sound Module*	100002544	395.-
Optional extra: Mirror Plate	100002545	185.-
Optional extra: Aroma	100002619	99.-



### Featured as standard



### Optional at extra costs



## ERGOLINE **SUNRISE 480/SUNRISE 488** TURBO POWER/DYNAMIC POWER



### FEATURED AS STANDARD

- Turbo Power / Dynamic Power
- Decor: Anthracite
- Silent Cooling
- Interior lighting
- Mood Lights
- Body Space
- Handholds

#### **SUNRISE 480** LAMPS

WATTS

**48**


#### **SUNRISE 488** LAMPS

WATTS

**48**

**max. 200**

### DIMENSIONS (in mm)



### DESIGN BRIGHT WHITE

	Art. No. EN <sup>1</sup>		Euro, excl. VAT.
Featured as standard <b>SUNRISE 480 Turbo Power</b>	<b>500000451</b>	<b>TOP SELLER</b>	<b>10,950.-</b>
Featured as standard <b>SUNRISE 488 Dynamic Power</b>	<b>500000403</b>		<b>13,995.-</b>
<b>Optional extra: Aqua Fresh &amp; Aroma</b>	<b>500000463</b>		<b>2,050.-</b>
<b>Optional extra: Stereo Sound</b>	<b>100001819</b>		<b>300.-</b>
<b>Optional extra: 3D-Sound-Unit*</b>	<b>100001841</b>		<b>990.-</b>
<b>Optional extra: Vibra Shape</b>	<b>100001843</b>		<b>4,380.-</b>
<b>Optional extra: Ambient Light</b>	<b>100001845</b>		<b>345.-</b>

### Featured as standard



### Optional at extra costs




\* 3D-Sound unit includes Voice Guide, MP3-Dock-in, SD-Card-Slot and Automatic Volume.

<sup>1</sup> These sunbeds comply with the standard EN 60335-2-27:2008 with a maximum output level of 0.3 W/m<sup>2</sup> and display the TÜV-GS-Symbol for tested safety. Outside the validity area country specific norms apply.



# PROFESSIONAL SUNBEDS



PROFESSIONAL SUNBEDS

## AIR DISCHARGE SYSTEMS ACCESSORIES




AIR DISCHARGE SYSTEMS | ACCESSORIES

## CONTROL SYSTEMS




CONTROL SYSTEMS

## ERGOLINE AFFINITY



	Art. No. with warm air recovery	Euro, excl. VAT	Art. No. without warm air recovery	Euro, excl. VAT
<b>Central air discharge socket in Brilliant Silver</b> with direct connection possibility (300 mm Ø) upwards. Channelling the air to the right, to the left or to the rear requires additional use of the curved profile (Art. No. 100001292).	<b>500000872</b>	<b>740.-</b>	<b>500000873</b>	<b>600.-</b>
<b>90° curved profile in Brilliant Silver</b> for routing the air discharge hose to the right, left or rear, including pipe adapter for direct connection to the central air discharge socket. Air ducting possible via direct 300 mm Ø air discharge hose connection.	<b>100001292</b>	<b>155.-</b>	<b>100001292</b>	<b>155.-</b>
<b>Connection socket</b> for 300 mm Ø air discharge hose	<b>34503600</b>	<b>18.-</b>	<b>34503600</b>	<b>18.-</b>
<b>Air discharge hose</b> 300 mm Ø, flexible, grey, 6 m, with 2 hose clips	<b>34502800</b>	<b>105.-</b>	<b>34502800</b>	<b>105.-</b>
<b>Air discharge hose connector</b> 300 mm Ø	<b>34502700</b>	<b>25.-</b>	<b>34502700</b>	<b>25.-</b>
<b>Air discharge assembly</b> for connecting to double rear panel	<b>34526600</b>	<b>80.-</b>	<b>34526600</b>	<b>80.-</b>
<b>Add-on kit Affinity Twin Power</b>				
<b>Add-on kit Affinity</b> 500/600, intermediate acrylic and fan	<b>735130-00</b>	<b>575.-</b>		
<b>Add-on kit Affinity</b> 800, intermediate acrylic and fan	<b>735131-00</b>	<b>625.-</b>		

### DIMENSIONS AFFINITY (IN MM)



### AUDIO (for Affinity, Esprit, Prestige, Inspiration, Open Sun Pilot)

Wire set audio (incl. channel selection)		Wire audio (without channel selection)	
Prod. ref. no.	Euro, excl. VAT	Prod. ref. no.	Euro, excl. VAT
<b>500000160</b>	<b>37.-</b>	<b>500000161</b>	<b>19.-</b>

### AMBIENT LIGHTS

	Art. No.	Euro, excl. VAT
<b>Ambient Light – Magenta</b>	<b>100001251</b>	<b>235.-</b>
<b>Ambient Light – Yellow</b>	<b>100001250</b>	<b>235.-</b>
<b>Ambient Light – Red</b>	<b>100001249</b>	<b>235.-</b>
<b>Ambient Light – Blue</b>	<b>100001252</b>	<b>235.-</b>

### MOOD LIGHTS SELECT

	Art. No.	Euro, excl. VAT
<b>Mood Light – Magenta</b>	<b>100001255</b>	<b>130.-</b>
<b>Mood Light – Yellow</b>	<b>100001254</b>	<b>130.-</b>
<b>Mood Light – Red</b>	<b>100001253</b>	<b>130.-</b>
<b>Mood Light – Blue</b>	<b>100001300</b>	<b>130.-</b>

## ERGOLINE **ESPRIT, PRESTIGE**



**Central air discharge socket in Brilliant Silver** with direct connection possibility (300 mm Ø) upwards. Channelling the air to the right, to the left or to the rear requires additional use of the curved profile (Art. No. 100001292).

**90° curved profile in Brilliant Silver** for routing the air discharge hose to the right, left or rear, including pipe adapter for direct connection to the central air discharge socket. Air ducting possible via direct 300 mm Ø air discharge hose connection.

**Connection socket** for 300 mm Ø air discharge hose


**Air discharge hose** 300 mm Ø, flexible, grey, 6 m, with 2 hose clips

**Air discharge hose connector** 300 mm Ø


**Air discharge assembly** for connecting to double rear pane

Art. No. with warm air recovery	Euro, excl. VAT	Art. No. without warm air recovery	Euro, excl. VAT
<b>500000872</b>	<b>740.-</b>	<b>500000873</b>	<b>600.-</b>
<b>100001292</b>	<b>155.-</b>	<b>100001292</b>	<b>155.-</b>
<b>34503600</b>	<b>18.-</b>	<b>34503600</b>	<b>18.-</b>
<b>34502800</b>	<b>105.-</b>	<b>34502800</b>	<b>105.-</b>
<b>34502700</b>	<b>25.-</b>	<b>34502700</b>	<b>25.-</b>
<b>34526600</b>	<b>80.-</b>	<b>34526600</b>	<b>80.-</b>


### DIMENSIONS **ESPRIT** (IN MM)




### DIMENSIONS **PRESTIGE** (IN MM)



## ERGOLINE OPEN SUN PILOT



### DIMENSION ERGOLINE OPEN SUN PILOT (IN MM)



### OPEN SUN PILOT

Art. No. with warm air recovery	Euro, excl. VAT	Art. No. without warm air recovery	Euro, excl. VAT.
100001641	580.-	100001640	330.-
100001741	155.-	100001741	155.-
34521900	155.-	34521900	155.-
34522000	42.-	34522000	42.-
		34005700	162.-
		34516400	140.-
		34503500	15.-
		34005800	125.-
		34006700	25.-

**Central air discharge socket** for Ø 250 mm

**90° curved profile in Brilliant Silver** for routing the air discharge hose to the right, left or rear, including pipe adapter for direct connection to the central air discharge socket. Air ducting possible via direct 250 mm Ø air discharge hose connection.

**90° curved profile in Blue** for routing the air discharge hose to the right, left or rear, incl. pipe adapter for direct connection to the central air discharge socket.

**Connection adapter** from 250 mm Ø to 300 mm Ø

**Central air discharge socket** in galvanised sheet metal, capability of connecting 250 mm Ø round pipe or 320 x 270 mm rectangular pipe to the right and the left


**Central air extraction system adapter**

**Connection socket** for 250 mm Ø air discharge hose


**Air discharge hose** 250 mm Ø, flexible, grey, 6 m, with 2 hose clips

**Air discharge hose connector** 250 mm Ø

## ERGO LINE INSPIRATION 400/450



### DIMENSIONS ERGO LINE INSPIRATION 400/450 (IN MM)



**Central air discharge socket in Brilliant Silver** with direct connection possibility (300 mm Ø) upwards. Channelling the air to the right, to the left or to the rear requires additional use of the curved profile (Art. No. 100001292).

**90° curved profile in Brilliant Silver** for routing the air discharge hose to the right, left or rear, including pipe adapter for direct connection to the central air discharge socket. Air ducting possible via direct 300 mm Ø air discharge hose connection.

**Connection socket** for 300 mm Ø air discharge hose

**Air discharge hose** 300 mm Ø, flexible, grey, 6 m, with 2 hose clips

**Air discharge hose connector** 300 mm Ø

**Add-on kit Inspiration Twin Power** intermediate acrylic without fan

**Add-on kit filter mats** for canopy


Art. No. with warm air recovery	Euro, excl. VAT	Art. No. without warm air recovery	Euro, excl. VAT
500000892	740.-	500000893	600.-
100001292	155.-	100001292	155.-
34503600	18.-	34503600	18.-
34502800	105.-	34502800	105.-
34502700	25.-	34502700	25.-
100001854	340.-	100001854	340.-
100001859	150.-	100001859	150.-



## ERGOLINE PASSION 300/350




### DIMENSIONS ERGOLINE PASSION (IN MM)



	Art. No. with warm air recovery (manual)	Euro, excl. VAT	Art. No. without warm air recovery	Euro, excl. VAT
<b>Central air discharge socket in Brilliant Silver</b> with direct connection possibility (300 mm Ø) upwards. Channelling the air to the right, to the left or to the rear requires additional use of the curved profile (Art. No. 100001292).	<b>500000870</b>	<b>695.-</b>	<b>500000871</b>	<b>600.-</b>
<b>90° curved profile in Brilliant Silver</b> for routing the air discharge hose to the right, left or rear, including pipe adapter for direct connection to the central air discharge socket. Air ducting possible via direct 300 mm Ø air discharge hose connection.	<b>100001292</b>	<b>155.-</b>	<b>100001292</b>	<b>155.-</b>
<b>Connection socket</b> for 300 mm Ø air discharge hose	<b>34503600</b>	<b>18.-</b>	<b>34503600</b>	<b>18.-</b>
<b>Air discharge hose</b> 300 mm Ø, flexible, grey, 6 m, with 2 hose clips	<b>34502800</b>	<b>105.-</b>	<b>34502800</b>	<b>105.-</b>
<b>Air discharge hose connector</b> 300 mm Ø	<b>34502700</b>	<b>25.-</b>	<b>34502700</b>	<b>25.-</b>

## ERGO LINE ESSENCE 280/440



### ERGO LINE AIR DISCHARGE SYSTEM ESSENCE 280/440

	Art. No. without warm air recovery	Euro, excl. VAT
<b>Central air discharge socket</b> in Brilliant Silver with integrated air discharge motor	<b>100002542</b>	<b>600.-</b>
<b>Connection socket</b> for 150 mm Ø air discharge hose	<b>500000942</b>	<b>37.-</b>
<b>Air discharge hose</b> , Ø 150 mm, flexible, grey, 6 m, with 2 hose clips	<b>500000940</b>	<b>89.-</b>
<b>Adapter</b> , from Ø 150 mm to Ø 300 mm	<b>500000941</b>	<b>37.-</b>

## ERGO LINE SUNRISE




### ERGO LINE AIR DISCHARGE SYSTEM SUNRISE

	Art. No. without warm air recovery	Euro, excl. VAT
<b>Air discharge box</b> *	<b>100001962</b>	<b>1,030.-</b>
<b>90° curved profile</b> in Brilliant Silver	<b>100001292</b>	<b>155.-</b>
<b>Air discharge hose</b> 300 mm Ø, flexible, grey, 6 m, with 2 hose clips	<b>34502800</b>	<b>105.-</b>
<b>Air discharge hose connector</b> Ø 300 mm	<b>34503600</b>	<b>18.-</b>

### DIMENSIONS AIR DISCHARGE BOX (IN MM)


#### Technical Data:

Total power consumption:  
ca. 1,200 W  
Line voltage: 230-240 V~3  
Rated frequency: 50 Hz  
Fuses (slow-blowing): ca. 1x16 A  
Air consumption max.:  
ca. 2,600 m³/h  
(ambient temperature 25°C  
and air in max. 40°C)




\* Can be used for all sunbeds

# PROFESSIONAL SUNBEDS



PROFESSIONAL SUNBEDS

# AIR DISCHARGE SYSTEMS ACCESSORIES



AIR DISCHARGE SYSTEMS | ACCESSORIES

# CONTROL SYSTEMS



CONTROL SYSTEMS

## ERGO LINE CONTROL SYSTEMS



### ERGO LINE CENTRAL CONTROL SYSTEM STUDIO PILOT AND STUDIO-MANAGER

	Art. No.	Euro, excl. VAT	
<b>Studio Pilot:</b> Central control unit for operating up to 25 sunbeds	34009900	2,380.-	
<b>Sunbed interface 1:</b> Control module for each sunbed (also other producers)	34523700	320.-	
<b>Studio-Display:</b> Software for display of cabin booking, pictures of sunbeds, advertising ticker or advertising images*	500000375	495.-	
<b>TV interface:</b> Control module for monitor or television (display of cabin booking)	34523800	795.-	
<b>Studio-Manager Version 2**</b> incl. CD-ROM, chip card reader, Office-Manager 2	34529000	1,865.-	
<b>Package prices</b>			
<b>Package 1 comprising:</b> 1 x Studio Pilot, 1 x TV interface, 400 chip cards with 4-colour printing	34529200	<del>4,210.-</del>	3,810.- <b>BEST BUY</b> € 400.- OFF
<b>Package 2 comprising:</b> 1 x Studio-Manager Version 2, 1 x Studio Pilot, Studio-Display, 400 chip cards with 4-colour printing <u>The Best-Buy price does only apply to simultaneous order of:</u> <u>1 x PC incl. pre-installation, 1 x computer interface</u>	34529300 1004811-00+ 34590200	<del>5,775.-</del> 1,915.-	5,175.- <b>BEST BUY</b> € 600.- OFF

To operate the Studio-Manager Software the following requirements must be fulfilled:

- Computer interface is available according to Ergoline specifications
- Bus line to PC is laid and functional
- Power connection for computer (is connected to the computer) is laid and functional
- ISDN connection is available and functional

\* Only possible with Studio-Manager and graphics card with 2 monitor outputs

\*\*The Studio-Manager Version 2 is only to be operated with the Studio-Manager accessories listed by Ergoline (computer and hardware)!

## ERGOLINE TOKEN BOXES

Burglar-proof metal housing, token verifier with tamper-proof mechanism, incl. coin collector, 10 m connecting lead with plug (extra-low voltage), Happy Hour and statistics program, with double shut-down safety facility according to EN 60335-2-27/A11:2002

**Ergoline Flair/Passion\*/Essence\***  
**Ergoline Inspiration 400\*/450\***  
**Ergoline Affinity\*/Esprit\*/Prestige\***  
**Ergoline Sunrise\*\***  
**Ergoline Open Sun Pilot\***

Art. No. Euro, excl. VAT

**Microcomputer IV plus** with electronic token verifier

**34010400 795.-**

**Microcomputer VI** with electronic token verifier, chip card terminal

**34009700 1,035.-**

## ERGOLINE MANUAL REMOTE CONTROL SYSTEM

incl. 5 m control cable and plug (extra-low voltage), with master card and double shut-down safety facility according to EN 60335-2-27/A11:2002

**Ergoline Flair/Passion\*/Essence\***  
**Ergoline Inspiration 400\*/450\***  
**Ergoline Affinity\*/Esprit\*/Prestige\***  
**Ergoline Sunrise\*\***  
**Ergoline Open Sun Pilot\***

Art. No. Euro, excl. VAT

**Microcomputer MCS III plus**

**500000456 365.-**

## ACCESSORIES FOR ALL CONTROL SYSTEMS

### For all Ergoline professional sunbeds

Art. No. Euro, excl. VAT

**Brass tokens** for Ergoline token box and Studio Pilot, 50 per unit

**34005300 26.-**

**Token box control cable** for MCS IV plus and MCS VI, for extension, 8 x 0.56 mm<sup>2</sup>, per linear metre

**34006100 3.90**

**Token box plug and socket** MCS IV plus and MCS VI, for connecting the extension control cable

**34005400 9.90**

**Adapter** for connecting competitor sunbeds to MCS VI and MCS IV plus

**34523400 199.-**

**Adapter** for connecting MCS controls (for Sunrise)

**100001853 205.-**

**Chip cards with 4-colour printing** for MCS VI, Studio Pilot and Studio-Manager, 100 per unit

**34009500 299.-**

**Chip cards with 4-colour printing** for MCS VI, Studio Pilot and Studio-Manager, 400 per unit

**34524700 1,035.-**

**Chip card plain** for MCS VI, Studio Pilot and Studio-Manager, 100 per unit

**38000500 260.-**

## ACCESSORIES FOR STUDIO-MANAGER

Art. No. Euro, excl. VAT

**Computer (proprietary brand)** incl. pre-configuration, ISDN card and PC-Anywhere for remote maintenance

**34590100 1,495.-**

**Computer (see item number 34590100)** including graphics card with 2 monitor outputs for Studio-Display

**1004811-00 1,595.-**

**Computer-interface** for PC connection to control line

**34590200 320.-**

**19" TFT monitor**

**34590300 399.-**

**17" TFT monitor**

**34590400 299.-**

**Ink jet printer (proprietary brand)**

**34590500 89.-**

**Quick-Cam** (camera for customer photos)

**34590600 50.-**

**Cash desk drawer** incl. cash desk opening module

**34590700 349.-**

**Customer display** (2x20 lines display)

**34590800 285.-**

**Barcode scanner** for sale of articles

**34590900 279.-**

**UPS** for uninterruptible power supply

**34591000 129.-**

**Document verification** for MCS-token boxes and Studio Pilot

**500000880 385.-**

### For all Ergoline professional sunbeds

Art. No. Euro, excl. VAT

**Subscription cards with 4-colour printing** for Studio-Manager version 2, 100 per unit

**34010900 299.-**

**Subscription cards plain**, for Studio-Manager version 2, 100 per unit

**34011000 260.-**

**Salon card** (personnel card) for MCS VI, Studio Pilot and Studio-Manager with 4-colour printing

**34010100 9.90**

**Token discharge tube** for MCS IV plus, MCS VI

**34010300 9.90**

**Control cable** Studio Pilot for multi-tasker bus (100 m run)

**34510400 99.-**

**Tower** Studio Pilot incl. safe


**34524100 930.-**

**Tower-Desk** Add-on table to tower (left or right) for monitor and TV

**34524200 410.-**

\* Operation only with timer with double shut-down safety facility according to EN 60335-2-27/A11:2002 \*\* Can only be operated with adapter 100001853





**JK-INTERNATIONAL GMBH** · Koehlershohner Strasse · 53578 Windhagen · Germany · [www.ergoline.de](http://www.ergoline.de) · [info@ergoline.de](mailto:info@ergoline.de) · Telefon: 02224/818-0 · Telefax: 02224/818-500

*Ergoline*